



HARD BODY ARMOR PLATES

Configuration	Stand Alone		
Product application	Concealable Body Armor, External Carriers, and Uniform Carriers		
Type of protective cover	• Polyurea		
Composition	• Composite		
Dimensions	• 10 x 12"		
Thickness	• 0.28"		
Weight	• 1.13 lbs		
Shape	• SAPI / ESAPI		
Multi-hit		Multi-curve (7 curvature)	



2 available sizes

CR1200 SA



SPECIAL THREATS TESTED

• SPEER 44 MAG SJHP (NIJ IIIA)	• 7.62x25 Tokarev SJLC
• SPEER 357 SIG FN (NIJ IIIA)	• FNH 5.7x28 SS197SR
• SPEER 357 SIG GDHP	• FNH 5.7x28 SS195LFHP
• Win 357 SIG Frangible	• NIJ Edged Blade P1 Level 1
• Win 9x19 SXT T-Series	• NIJ Edged Blade S1 Level 3



.44 MAG SJHP

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR-1200SA-8x10-SE	8" x 10"	SAPI/ESAPI	Multi-Curve	0.78 lbs	Independent
CR-1200SA-10x12-SE	10" x 12"	SAPI/ESAPI	Multi-Curve	1.13 lbs	Independent

1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Military



Stand alone



Made in USA

Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.





INTEGRIS

Contact

Info@IntegrusCompositesUS.com

HARD BODY ARMOR PLATES

Configuration	Stand Alone
Product application	Concealable Body Armor, External Carriers, and Uniform Carriers
Type of protective cover	• Polyurea
Composition	• Ceramic / Composite
Dimensions	• 10 x 12'
Thickness	• 0.55"
Weight	• 4.50 lbs
Shape	• SAPI / ESAPI
Multi-hit	
	Multi-curve (7 curvature) 



6 available sizes



7.62 X 39 MSC PS BALL



SPECIAL THREATS TESTED

• 7.62x39 PS BALL (MSC)	• 7.62x39 API BZ (SINGLE SHOT)
• 5.56x45 M193	
• 5.56x45 M855 (GREEN TIP)	
• SPEER 44 MAG SJHP (NIJ IIIA)	
• SPEER 357 SIG FN (NIJ IIIA)	

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR-2000SA-8x10-SE	8" x 10"	SAPI/ESAPI	Multi-Curve	3.10 lbs	Independent
CR-2000SA-10x12-SE	10" x 12"	SAPI/ESAPI	Multi-Curve	4.50 lbs	Independent
CR-2000SA-SM-SE	8.75" X 11.75"	SAPI/ESAPI	Multi-Curve	4.10 lbs	Independent
CR-2000SA-MD-SE	9.50" X 12.50"	SAPI/ESAPI	Multi-Curve	4.70 lbs	Independent
CR-2000SA-LG-SE	10.25" X 13.25"	SAPI/ESAPI	Multi-Curve	5.40 lbs	Independent
CR-2000SA-XL-SE	11.00" X 14.00"	SAPI/ESAPI	Multi-Curve	6.10 lbs	Independent

1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Military



Stand alone



Made in USA

Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.





INTEGRIS

Contact

Info@IntegrusCompositesUS.com

HARD BODY ARMOR PLATES

Configuration	Stand Alone		
Product application	Concealable Body Armor, External Carriers, and Uniform Carriers		
Type of protective cover	• Polyurea		
Composition	• Composite		
Dimensions	• 10 x 12'		
Thickness	• 1.15"		
Weight	• 3.30 lbs		
Shape	• SAPI / ESAPI		
Multi-hit		Multi-curve (7 curvature)	



6
available
sizes



7.62 X 51 M80



SPECIAL THREATS TESTED

• 7.62x51 M80 (NIJ III)	
• 7.62x39 PS Ball (MSC)	
• 5.56x45 M193	

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR-3000SA-8x10-SE	8" x 10"	SAPI/ESAPI	Multi-Curve	2.30 lbs	NIJ 0101.06 Type III Certified
CR-3000SA-10x12-SE	10" x 12"	SAPI/ESAPI	Multi-Curve	3.30 lbs	NIJ 0101.06 Type III Certified
CR-3000SA-SM-SE	8.75" X 11.75"	SAPI/ESAPI	Multi-Curve	2.95 lbs	NIJ 0101.06 Type III Certified
CR-3000SA-MD-SE	9.50" X 12.50"	SAPI/ESAPI	Multi-Curve	3.43 lbs	NIJ 0101.06 Type III Certified
CR-3000SA-LG-SE	10.25" X 13.25"	SAPI/ESAPI	Multi-Curve	3.95 lbs	NIJ 0101.06 Type III Certified
CR-3000SA-XL-SE	11.00" X 14.00"	SAPI/ESAPI	Multi-Curve	4.48 lbs	NIJ 0101.06 Type III Certified

1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Law
enforcement



Stand alone



Made in USA



Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.





INTEGRIS

Contact

Info@IntegrusCompositesUS.com

HARD BODY ARMOR PLATES

Configuration	Stand Alone
Product application	External Carriers, Plate Carriers, and Tactical Body Armor
Type of protective cover	• Polyurea
Composition	• Composite
Dimensions	• 10 x 12"
Thickness	• 1.05"
Weight	• 2.80 lbs
Shape	• SAPI / ESAPI
Multi-hit	
	Multi-curve (7 curvature) 



6
available
sizes



7.62 X 51 M80



SPECIAL THREATS TESTED

- 7.62x51 M80 (NIJ III)
- 7.62x39 PS Ball (MSC)
- 5.56x45 M193

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR-3100SA-8x10-SE	8" x 10"	SAPI/ESAPI	Multi-Curve	1.90 lbs	NIJ 0101.06 Type III Certified
CR-3100SA-10x12-SE	10" x 12"	SAPI/ESAPI	Multi-Curve	2.80 lbs	NIJ 0101.06 Type III Certified
CR-3100SA-SM-SE	8.75" X 11.75"	SAPI/ESAPI	Multi-Curve	2.50 lbs	NIJ 0101.06 Type III Certified
CR-3100SA-MD-SE	9.50" X 12.50"	SAPI/ESAPI	Multi-Curve	2.90 lbs	NIJ 0101.06 Type III Certified
CR-3100SA-LG-SE	10.25" X 13.25"	SAPI/ESAPI	Multi-Curve	3.30 lbs	NIJ 0101.06 Type III Certified
CR-3100SA-XL-SE	11.00" X 14.00"	SAPI/ESAPI	Multi-Curve	3.70 lbs	NIJ 0101.06 Type III Certified

1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Law
enforcement



Stand alone



Made in USA



Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.





INTEGRIS

Contact

Info@IntegrusCompositesUS.com

HARD BODY ARMOR PLATES

Configuration	Stand Alone		
Product application	External Carriers, Plate Carriers, and Tactical Body Armor		
Type of protective cover	• Polyurea		
Composition	• Ceramic / Composite		
Dimensions	• 10 x 12"		
Thickness	• 1.15"		
Weight	• 4.70 lbs		
Shape	• SAPI / ESAPI		
Multi-hit		Multi-curve (7 curvature)	



6
available
sizes



7.62 X 51 M80



SPECIAL THREATS TESTED

• 7.62x51 M80 (NIJ III)	
• 7.62x39 PS Ball (MSC)	
• 5.56x45 M855 (Green Tip)	

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR-3200SA-8x10-SE	8" x 10"	SAPI/ESAPI	Multi-Curve	3.20 lbs	NIJ 0101.06 Type III Certified
CR-3200SA-10x12-SE	10" x 12"	SAPI/ESAPI	Multi-Curve	4.70 lbs	NIJ 0101.06 Type III Certified
CR-3200SA-SM-SE	8.75" X 11.75"	SAPI/ESAPI	Multi-Curve	4.20 lbs	NIJ 0101.06 Type III Certified
CR-3200SA-MD-SE	9.50" X 12.50"	SAPI/ESAPI	Multi-Curve	4.80 lbs	NIJ 0101.06 Type III Certified
CR-3200SA-LG-SE	10.25" X 13.25"	SAPI/ESAPI	Multi-Curve	5.50 lbs	NIJ 0101.06 Type III Certified
CR-3200SA-XL-SE	11.00" X 14.00"	SAPI/ESAPI	Multi-Curve	6.20 lbs	NIJ 0101.06 Type III Certified

1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Law
enforcement



Stand alone



Made in USA



Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.





INTEGRIS

Contact

Info@IntegrusCompositesUS.com

HARD BODY ARMOR PLATES

Configuration	Stand Alone		
Product application	External Carriers, Plate Carriers, and Tactical Body Armor		
Type of protective cover	• Polyurea		
Composition	• Composite		
Dimensions	• 10 x 12"		
Thickness	• 1.07"		
Weight	• 2.30 lbs		
Shape	• SAPI / ESAPI		
Multi-hit		Multi-curve (7 curvature)	



7
available
sizes



7.62 X 51 M80



SPECIAL THREATS TESTED

• 7.62x51 M80 (NIJ III)	
• 7.62x39 PS Ball (MSC)	
• 5.56x45 M193	

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR-3600SA-6x6-SE	6" x 6"	SAPI/ESAPI	Single-Curve	0.76 lbs	NIJ 0101.06 Type III Certified
CR-3600SA-8x10-SE	8" x 10"	SAPI/ESAPI	Multi-Curve	1.60 lbs	NIJ 0101.06 Type III Certified
CR-3600SA-10X12-SE	10" X 12"	SAPI/ESAPI	Multi-Curve	2.30 lbs	NIJ 0101.06 Type III Certified
CR-3600SA-SM-SE	8.75" X 11.75"	SAPI/ESAPI	Multi-Curve	2.10 lbs	NIJ 0101.06 Type III Certified
CR-3600SA-MD-SE	9.50" X 12.50"	SAPI/ESAPI	Multi-Curve	2.40 lbs	NIJ 0101.06 Type III Certified
CR-3600SA-LG-SE	10.25" X 13.25"	SAPI/ESAPI	Multi-Curve	2.70 lbs	NIJ 0101.06 Type III Certified
CR-3600SA-LG-SE	11.00" X 14.00"	SAPI/ESAPI	Multi-Curve	3.10 lbs	NIJ 0101.06 Type III Certified

1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Law
enforcement



Stand alone



Made in USA



Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.





INTEGRIS

Contact

Info@IntegrusCompositesUS.com

HARD BODY ARMOR PLATES

Configuration	In Conjunction		
Product application	External Carriers, Plate Carriers, and Tactical Body Armor		
Type of protective cover	• Polyurea		
Composition	• Composite		
Dimensions	• 10 x 12"		
Thickness	• 0.55"		
Weight	• 2.20 lbs		
Shape	• SAPI / ESAPI		
Multi-hit		Multi-curve (7 curvature)	



7
available
sizes



7.62 X 51 M80

CR3610 IC



SPECIAL THREATS TESTED

• 7.62x51 M80 (NIJ III)	
• 7.62x39 PS Ball (MSC)	
• 5.56x45 M193	

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR-3610IC-6x6-SE	6" x 6"	SAPI/ESAPI	Single-Curve	0.73 lbs	Independent
CR-3610IC-8x10-SE	8" x 10"	SAPI/ESAPI	Multi-Curve	1.52 lbs	Independent
CR-3610IC-10X12-SE	10" X 12"	SAPI/ESAPI	Multi-Curve	2.30 lbs	Independent
CR-3610IC-SM-SE	8.75" X 11.75"	SAPI/ESAPI	Multi-Curve	1.96 lbs	Independent
CR-3610IC-MD-SE	9.50" X 12.50"	SAPI/ESAPI	Multi-Curve	2.26 lbs	Independent
CR-3610IC-LG-SE	10.25" X 13.25"	SAPI/ESAPI	Multi-Curve	2.59 lbs	Independent
CR-3610IC-XL-SE	11.00" X 14.00"	SAPI/ESAPI	Multi-Curve	2.94 lbs	Independent

1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Military



ICW



Made in USA

Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.





INTEGRIS

Contact

Info@IntegrusCompositesUS.com

HARD BODY ARMOR PLATES

Configuration	Stand Alone
Product application	External Carriers, Plate Carriers, and Tactical Body Armor
Type of protective cover	• Polyurea
Composition	• Composite
Dimensions	• 10 x 12"
Thickness	• 0.93"
Weight	• 2.40 lbs
Shape	• SAPI / ESAPI
Multi-hit	
Multi-curve (7 curvature)	



7
available
sizes



7.62 X 51 M80



SPECIAL THREATS TESTED

• 7.62x51 M80 (NIJ III)	
• 7.62x39 PS Ball (MSC)	
• 5.56x45 M193	

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR-3650SA-6x6-SE	6" x 6"	SAPI/ESAPI	Single-Curve	0.80 lbs	NIJ 0101.06 Type III Certified
CR-3650SA-8x10-SE	8" x 10"	SAPI/ESAPI	Multi-Curve	1.60 lbs	NIJ 0101.06 Type III Certified
CR-3650SA-10X12-SE	10" X 12"	SAPI/ESAPI	Multi-Curve	2.40 lbs	NIJ 0101.06 Type III Certified
CR-3650SA-SM-SE	8.75" X 11.75"	SAPI/ESAPI	Multi-Curve	2.10 lbs	NIJ 0101.06 Type III Certified
CR-3650SA-MD-SE	9.50" X 12.50"	SAPI/ESAPI	Multi-Curve	2.50 lbs	NIJ 0101.06 Type III Certified
CR-3650SA-LG-SE	10.25" X 13.25"	SAPI/ESAPI	Multi-Curve	2.80 lbs	NIJ 0101.06 Type III Certified
CR-3650SA-XL-SE	11.00" X 14.00"	SAPI/ESAPI	Multi-Curve	3.20 lbs	NIJ 0101.06 Type III Certified


1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Law
enforcement



Stand alone



Made in USA



Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.





INTEGRIS

Contact

Info@IntegrusCompositesUS.com

HARD BODY ARMOR PLATES

CR4200 SA

Configuration	Stand Alone		
Product application	Concealable Body Armor, External Carriers, Plate Carriers, and Tactical Body Armor		
Type of protective cover	• Polyurea		
Composition	• Ceramic / composite		
Dimensions	• 10 x 12"		
Thickness	• 1.20"		
Weight	• 8.90 lbs		
Shape	• SAPI / ESAPI		
Single-hit		Multi-curve (7 curvature)	



6
available
sizes



7.62 X 63 M2AP



SPECIAL THREATS TESTED

• 7.62x63 M2AP (NIJ IV)	• 5.56x45 M855 (Green Tip)
• 7.62x54R API B32	
• 7.62x51 M61	
• 7.62x39 API BZ	
• 5.56x45 M855A1	

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR-4200SA-8x10-SE	8" x 10"	SAPI/ESAPI	Multi-Curve	6.40 lbs	NIJ 0101.06 Type IV Certified
CR-4200SA-10x12-SE	10" X 12"	SAPI/ESAPI	Multi-Curve	8.90 lbs	NIJ 0101.06 Type IV Certified
CR-4200SA-SM-SE	8.75" X 11.75"	SAPI/ESAPI	Multi-Curve	8.20 lbs	NIJ 0101.06 Type IV Certified
CR-4200SA-MD-SE	9.50" X 12.50"	SAPI/ESAPI	Multi-Curve	9.50 lbs	NIJ 0101.06 Type IV Certified
CR-4200SA-LG-SE	10.25" X 13.25"	SAPI/ESAPI	Multi-Curve	10.90 lbs	NIJ 0101.06 Type IV Certified
CR-4200SA-XL-SE	11.00" X 14.00"	SAPI/ESAPI	Multi-Curve	12.40 lbs	NIJ 0101.06 Type IV Certified

1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Law
enforcement



Stand alone



Made in USA



Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.





INTEGRIS

Contact

Info@IntegrusCompositesUS.com

HARD BODY ARMOR PLATES

CR5200 SA

Configuration	Stand Alone		
Product application	Concealable Body Armor, External Carriers, Plate Carriers, and Tactical Body Armor		
Type of protective cover	• Polyurea		
Composition	• Ceramic / composite		
Dimensions	• 10 x 12"		
Thickness	• 1.30"		
Weight	• 7.10 lbs		
Shape	• SAPI / ESAPI		
Multi-hit		Multi-curve (7 curvature)	



6
available
sizes



7.62 X 63 M2AP



SPECIAL THREATS TESTED

• 7.62x63 M2AP (NIJ IV)	• 5.56x45 M855A1
• 7.62x54R API B32	• 5.56x45 M855 (Green Tip)
• 7.62x51 M61	
• 7.62x51 M80 (NIJ III)	
• 7.62x39 API BZ	

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR-5200SA-8x10-SE	8" x 10"	SAPI/ESAPI	Multi-Curve	5.00 lbs	NIJ 0101.06 Type III & IV Certified
CR-5200SA-10x12-SE	10" X 12"	SAPI/ESAPI	Multi-Curve	7.10 lbs	NIJ 0101.06 Type III & IV Certified
CR-5200SA-SM-SE	8.75" X 11.75"	SAPI/ESAPI	Multi-Curve	6.40 lbs	NIJ 0101.06 Type III & IV Certified
CR-5200SA-MD-SE	9.50" X 12.50"	SAPI/ESAPI	Multi-Curve	7.50 lbs	NIJ 0101.06 Type III & IV Certified
CR-5200SA-LG-SE	10.25" X 13.25"	SAPI/ESAPI	Multi-Curve	8.60 lbs	NIJ 0101.06 Type III & IV Certified
CR-5200SA-XL-SE	11.00" X 14.00"	SAPI/ESAPI	Multi-Curve	9.70 lbs	NIJ 0101.06 Type III & IV Certified

1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Law
enforcement



Stand alone



Made in USA



Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.





INTEGRIS

Contact

Info@IntegrusCompositesUS.com

HARD BODY ARMOR PLATES

Configuration	In Conjunction		
Product application	External Carriers, Plate Carriers, and Tactical Body Armor		
Type of protective cover	• Polyurea or Cordura		
Composition	• Ceramic / composite		
Dimensions	• 9.50 x 12.50"		
Thickness	• 0.95"		
Weight	• 4.25 lbs		
Shape	• SAPI / ESAPI		
Multi-hit		Multi-curve (7 curvature)	



5
available
sizes



7.62 X 54R LPS



SPECIAL THREATS TESTED

• 7.62x54R LPS	
• 7.62x51 M80 (NIJ III)	
• 7.62x39-mm PS Ball	
• 5.56x45 M855 (GREEN TIP)	

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR-6000IC-XS-SE-PY	7.25" x 11.50"	SAPI/ESAPI	Multi-Curve	2.97 lbs	Independent
CR-6000IC-SM-SE-PY	8.75" X 11.75"	SAPI/ESAPI	Multi-Curve	3.69 lbs	Independent
CR-6000IC-MD-SE-PY	9.50" X 12.50"	SAPI/ESAPI	Multi-Curve	4.25 lbs	Independent
CR-6000IC-LG-SE-PY	10.25" X 13.25"	SAPI/ESAPI	Multi-Curve	4.86 lbs	Independent
CR-6000IC-XL-SE-PY	11.00" X 14.00"	SAPI/ESAPI	Multi-Curve	5.52 lbs	Independent

1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Military



ICW



Made in USA

Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.





INTEGRIS

Contact

Info@IntegrusCompositesUS.com

HARD BODY ARMOR PLATES

CR6010 IC

Configuration	In Conjunction		
Product application	External Carriers, Plate Carriers, and Tactical Body Armor		
Type of protective cover	• Polyurea or Cordura		
Composition	• Ceramic / composite		
Dimensions	• 9.50 x 12.50"		
Thickness	• 0.78"		
Weight	• 4.10 lbs		
Shape	• SAPI / ESAPI		
Multi-hit		Multi-curve (7 curvature)	



5
available
sizes



7.62 X 51 M80



SPECIAL THREATS TESTED

• 7.62x51 M80 (NIJ III)	
• 7.62x39 PS BALL (MSC)	
• 5.56x45 M855 (GREEN TIP)	
• 5.56x45 M193	

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR-6010IC-XS-SE-PY	7.25" x 11.50"	SAPI/ESAPI	Multi-Curve	2.97 lbs	Independent
CR-6010IC-SM-SE-PY	8.75" X 11.75"	SAPI/ESAPI	Multi-Curve	3.69 lbs	Independent
CR-6010IC-MD-SE-PY	9.50" X 12.50"	SAPI/ESAPI	Multi-Curve	4.10 lbs	Independent
CR-6010IC-LG-SE-PY	10.25" X 13.25"	SAPI/ESAPI	Multi-Curve	4.86 lbs	Independent
CR-6010IC-XL-SE-PY	11.00" X 14.00"	SAPI/ESAPI	Multi-Curve	5.52 lbs	Independent

1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Military



ICW



Made in USA

Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.





INTEGRIS

Contact

Info@IntegrusCompositesUS.com

HARD BODY ARMOR PLATES

CR6450 SA

Configuration	Stand Alone		
Product application	External Carriers, Plate Carriers, and Tactical Body Armor		
Type of protective cover	• Polyurea or Cordura		
Composition	• Ceramic / composite		
Dimensions	• 9.50 x 12.50"		
Thickness	• 0.60"		
Weight	• 4.49 lbs		
Shape	• SAPI / ESAPI		
Multi-hit		Multi-curve (7 curvature)	



12
available
sizes



7.62 X 39 API BZ



SPECIAL THREATS TESTED

• 7.62x39 API BZ	• 5.56x45 M193
• 7.62x39 PS Ball (MSC)	
• 5.56x45 M855A1	
• 5.56x45 M855 (GREEN TIP)	
• 5.45x39 7N6 (MSC)	

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR-6450SA-8x10-SE	8" x 10"	SAPI/ESAPI	Multi-Curve	3.01 lbs	Independent
CR-6450SA-8x10-SC	8" X 10"	SAPI/ESAPI	Multi-Curve	2.79 lbs	Independent
CR-6450SA-8X10-FS	8" X 10"	SAPI/ESAPI	Multi-Curve	3.29 lbs	Independent
CR-6450SA-10X12-SE	10" X 12"	SAPI/ESAPI	Multi-Curve	4.37 lbs	Independent
CR-6450SA-10X12-SC	10" X 12"	SAPI/ESAPI	Multi-Curve	4.29 lbs	Independent
CR-6450SA-10X12-FS	10" X 12"	SAPI/ESAPI	Multi-Curve	4.92 lbs	Independent
CR-6450SA-XS-SE	7.25" X 11.50"	SAPI/ESAPI	Multi-Curve	3.13 lbs	Independent
CR-6450SA-SM-SE	8.75" X 11.75"	SAPI/ESAPI	Multi-Curve	3.90 lbs	Independent
CR-6450SA-MD-SE	9.50" X 12.50"	SAPI/ESAPI	Multi-Curve	4.49 lbs	Independent
CR-6450SA-LG-SE	10.25" X 13.25"	SAPI/ESAPI	Multi-Curve	5.13 lbs	Independent
CR-6450SA-XL-SE	11.00" X 14.00"	SAPI/ESAPI	Multi-Curve	5.82 lbs	Independent
CR-6450SA-XL-SC	11.00" X 14.00"	SAPI/ESAPI	Multi-Curve	5.51 lbs	Independent

1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Military



Stand alone



Made in USA

Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.





INTEGRIS

Contact

Info@IntegrusCompositesUS.com

HARD BODY ARMOR PLATES

Configuration	Stand Alone		
Product application	External Carriers, Plate Carriers, and Tactical Body Armor		
Type of protective cover	• Polyurea		
Composition	• Ceramic / composite		
Dimensions	• 10 x 12"		
Thickness	• 0.75"		
Weight	• 7.51 lbs		
Shape	• SAPI / ESAPI		
Single-hit		Single-curve & Multi-curve	



6 available sizes



7.62 X 63 M2AP



SPECIAL THREATS TESTED

• 7.62x63 M2AP (NIJ IV)	

PART NUMBER	SIZE ¹	SHAPE	CURVATURE	WEIGHT ²	TESTING
CR8400 8X10 SE	8" X 10"	SAPI/ESAPI	Single-Curve	5.05 lbs	Tested to NIJ 0101.04 Type IV
CR8400SA MD-SE	9.5" x 12.5"	SAPI/ESAPI	Single-Curve	7.51 lbs	Tested to NIJ 0101.04 Type IV
CR8400SA 10x12 SC	10" X 12"	SAPI/ESAPI	Single-Curve	7.42 lbs	Tested to NIJ 0101.04 Type IV
CR8400 8X10 SE	8" X 10"	SAPI/ESAPI	Multi-Curve	5.33 lbs	Tested to NIJ 0101.04 Type IV
CR8400SA 8X10 FULL SIZE	8" X 10"	SAPI/ESAPI	Multi-Curve	5.64 lbs	Tested to NIJ 0101.04 Type IV
CR8400 10X12 SC	10" X 12"	SAPI/ESAPI	Multi-Curve	7.84 lbs	Tested to NIJ 0101.04 Type IV

1. All size dimensions are ± 0.50". 2. All weights are ± 5% | Special and/or tailored cuts, sizes, or shapes can be made available upon request



Military



Stand alone



Made in USA

Integrus Limited Warranty and Use and Care: As stated in the Integrus Limited Warranty Statement, Integrus warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with Integrus Use and Care Manual. A copy of the Integrus Limited Warranty and Use & Care Manual is included with every product or can be found at our website: www.IntegrusCompositeSolutions.com.

Department of State ITAR / Department of Commerce EAR: This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.



INTEGRIS

Contact

Info@IntegrusCompositesUS.com